



CUMMINS®

X15 Camshaft

New In Stock: Replacement camshaft **M-5558229** for X15 CM2450 engines.

This camshaft is manufactured using industry-leading quality standards. The precise timing and lift characteristics are measured using computer aided test equipment to ensure a meticulous degree of accuracy. The induction hardened wear surfaces and refined finish come together to provide a superior product.

Part Number	Description	Application	Notes
M-5558229	Camshaft	X15	CM2450

Applies to CPLs 5349, 5479, 5779, 5868, 5869, 5879, 5880, 5881, 6247.



CUMMINS®

X15 Vibration Damper



New from Interstate-McBee is viscous damper **M-3690868** for Cummins® ISX/QSX engine and Cummins® X15 engine applications. Designed to control torsional vibration and protect critical engine components, this damper helps improve durability and extend engine life in demanding operations.

Part Number	Description	Application
M-3690868	Vibration Damper	ISX/QSX/X15

CUMMINS®

ISX/X15/QSX15 Main Bearing Kit

New main bearing kits are now available to service specific cylinder block and crankshaft combinations. These new sets are produced from high fatigue-strength tri-metal construction bearings and thrust washers.

Part Number	Description	Application
M-5633630	Main Bearing Kit	ISX/X15/QSX15
M-5633631	Main Bearing Kit	ISX/X15/QSX15



CUMMINS®

ISX/QSX Rocker Lever Shaft

Now available from Interstate-McBee, rocker lever shaft **M-2882592** for the Cummins® ISX/QSX engine platform. Designed for demanding heavy-duty applications, this addition expands the available valvetrain coverage for ISX and QSX engines. Always verify with engine serial number before ordering.



Part Number	Description	Application
M-2882592	Rocker Lever Shaft	ISX/QSX

©All manufacturer's names are registered trademarks of that respective corporation or entity and do not imply that the item/s are a product of said manufacturer.

WORLD HEADQUARTERS

7440 Oak Leaf Rd
Oakwood Village, OH 44146

P: (216) 881-0015
F: (216) 881-0805

FLORIDA

9955 NW 58th St
Doral, FL 33178

P: (305) 863-6650
F: (305) 863-6272

CALIFORNIA

13137 Arctic Cir
Santa Fe Springs, CA 90670

P: (562) 356-5414
F: (562) 926-2452

TEXAS

22755 NW Lake Dr, Bldg #3
Houston, TX 77095

P: (281) 645-7168
F: (281) 443-0202

NEBRASKA

6200 Arbor Rd
Lincoln, NE 68517

P: (402) 417-1059
F: (402) 975-6169






CUMMINS®

ISB6.7 Gasket Sets


More additions have been added to our ISB6.7 CM2350 EPA17 and CM2450 product lines. Each of these sets includes all required gaskets, seals, and expansion plugs to properly service the upper and lower portions of these engines.

M-5406070 - Upper Gasket Set includes the **M-5367848** rocker cover gasket/wiring harness. This wiring harness is also available to purchase separately.


Part Number	Description	Application	Notes
M-5633762	Upper Engine Gasket Set	ISB6.7	CM2450
M-5633763	Lower Engine Gasket Set	ISB6.7	CM2450
M-5406070	Upper Engine Gasket Set	ISB6.7	CM2350 EPA17
M-5406071	Lower Engine Gasket Set	ISB6.7	CM2350 EPA17




M-5633762



M-5633763



M-5406070



M-5406071

CUMMINS®

ISL9/QSL9 Injector Connector

Fuel connectors for the Cummins® ISL9/QSL9 XPI injectors are a "one time use" only component. Once a connector is installed it becomes "matched" to the specific injector body and if the connector is re-used, it is likely to leak. Just like the OEM, Interstate-McBee sends a new connector with every XPI injector so customers are assured of proper fit and trouble-free operation.

Part Number	Description	Application
M-2872288	Injector Fuel Supply 9L Connector	ISL9/QSL9



CUMMINS®

QSK45/QSK60 Piston & Piston Kit



New for Cummins® QSK45 and QSK60 engine applications are piston **M-3640796** and piston kit **M-4955326**. These products are designed for engines equipped with a Modular Common Rail Fuel System (MCRS).

Ring set **M-4955327**
sold separately



Part Number	Description	QTY
M-4955326	Piston Kit	
- M-3640796	- Piston	1
- M-4001416	- Piston Pin	1
- M-3089251	- Retaining Rings	2

©All manufacturer's names are registered trademarks of that respective corporation or entity and do not imply that the item/s are a product of said manufacturer.

WORLD HEADQUARTERS

7440 Oak Leaf Rd
Oakwood Village, OH 44146

P: (216) 881-0015
F: (216) 881-0805

FLORIDA

9955 NW 58th St
Doral, FL 33178

P: (305) 863-6650
F: (305) 863-6272

CALIFORNIA

13137 Arctic Cir
Santa Fe Springs, CA 90670

P: (562) 356-5414
F: (562) 926-2452

TEXAS

22755 NW Lake Dr, Bldg #3
Houston, TX 77095

P: (281) 645-7168
F: (281) 443-0202

NEBRASKA

6200 Arbor Rd
Lincoln, NE 68517

P: (402) 417-1059
F: (402) 975-6169





VOLVO®/MACK®

D13/MP8 Engine Sensors

Interstate-McBee has added three new replacement sensors to our expanding line of replacement parts for Volvo®/Mack® Engine applications. Temperature sensor **M-21531072**, oil & fuel pressure sensor **M-22899626** and boost pressure sensor **M-20524936** are engineered to keep the engine running at peak performance. Contact the parts experts at Interstate-McBee for details and exact fitment information.

Part Number	Description	Application
M-21531072	Temperature Sensor	D13
M-22899626	Pressure Sensor	D11/12/13
M-20524936	Boost Pressure Sensor	MP7/MP8



M-21531072



M-22899626



M-20524936

CATERPILLAR®

C11 Cylinder Kit & Piston



Interstate-McBee is proud to announce the **M-CK3398176P** piston kit for C11 industrial engine applications. This kit features Piston Body Assembly **M-3398176**, which is engineered to meet exacting specifications, ensuring durability and reliable performance in demanding environments. When paired with our full line of C11 components, this piston can be part of a complete engine overhaul solution, helping reduce downtime and maintain peak efficiency.

Part Number	Description	QTY
M-CK3398176P	Cylinder Kit	
- M-3398176	- Piston Body Assembly	1
- M-RSC13E	- Piston Ring Set	1
- M-1979327	- Piston Pin	1
- M-1979326	- Piston Pin Retainer	2
- M-4695315	- Cylinder Liner	1
- M-4371409	- Liner Seal	1

CATERPILLAR®

3500 Cylinder Head Repair Kit

Interstate McBee now offers a comprehensive cylinder head repair kit designed specifically for Caterpillar® 3500 series diesel engine applications that are equipped with half-inch exhaust valves. Kit **M-4529918** includes all the essential components required to refresh the engine's cylinder head including intake and exhaust valves, springs, retainers, and seals.

Part Number	Description	Application
M-4529918	Cylinder Head Repair kit	3500



©All manufacturer's names are registered trademarks of that respective corporation or entity and do not imply that the item/s are a product of said manufacturer.

WORLD HEADQUARTERS

7440 Oak Leaf Rd
Oakwood Village, OH 44146

P: (216) 881-0015
F: (216) 881-0805

FLORIDA

9955 NW 58th St
Doral, FL 33178

P: (305) 863-6650
F: (305) 863-6272

CALIFORNIA

13137 Arctic Cir
Santa Fe Springs, CA 90670

P: (562) 356-5414
F: (562) 926-2452

TEXAS

22755 NW Lake Dr, Bldg #3
Houston, TX 77095

P: (281) 645-7168
F: (281) 443-0202

NEBRASKA

6200 Arbor Rd
Lincoln, NE 68517

P: (402) 417-1059
F: (402) 975-6169





CATERPILLAR®

3500 Bearings



New oversized connecting rod and main bearings are now available as an option for Caterpillar® 3500 diesel engines. These replacement bearings from Interstate-McBee feature copper-lead construction designed to reduce cavitation-related bearing wear in 3500 applications. These oversized options support crankshaft regrind repairs and are precision manufactured for proper clearance and load distribution. **These bearings are NOT for use in CAT® 3500 gas engines.**

Part Number	Description	Application	Notes
M-4633915	Main Bearing	3500	Oversized .63 mm
M-4633916	Main Bearing	3500	Oversized 1.27 mm
M-4633903	Rod Bearing	3500	Oversized .63 mm
M-4633904	Rod Bearing	3500	Oversized 1.27 mm

Verify crankshaft journal size and required oversize before installation. Follow OEM installation and clearance specifications.

CATERPILLAR®

3500 Wiring Harness

Interstate McBee now offers replacement wiring harness **M-1326469** for Caterpillar® 3500 engine series applications equipped with Electronic Unit Injectors (EUI). Built for durability and reliable performance, this harness ensures proper communication and power delivery to your engine's critical electronic fuel system components. Interstate-McBee components are designed to maintain optimal operation in demanding environments.

Part Number	Description	Application
M-1326469	Wiring Harness	3500



CATERPILLAR®

3500 Sleeve Bearing



Now available: Press-fit rocker arm bushing **M-2302620**, designed for use in Caterpillar® 3500 series engines which span multiple markets, such as marine, power generation, mining, and industrial applications.

Part Number	Description	Application
M-2302620	Sleeve Bearing	3500

Service Note: This bushing is pressed into the rocker arm.

During Installation, Always check:

- Rocker shaft condition
- Oil hole alignment during install
- Hone/size after installation for proper clearance

WORLD HEADQUARTERS

7440 Oak Leaf Rd
Oakwood Village, OH 44146

P: (216) 881-0015
F: (216) 881-0805

FLORIDA

9955 NW 58th St
Doral, FL 33178

P: (305) 863-6650
F: (305) 863-6272

CALIFORNIA

13137 Arctic Cir
Santa Fe Springs, CA 90670

P: (562) 356-5414
F: (562) 926-2452

TEXAS

22755 NW Lake Dr, Bldg #3
Houston, TX 77095

P: (281) 645-7168
F: (281) 443-0202

NEBRASKA

6200 Arbor Rd
Lincoln, NE 68517

P: (402) 417-1059
F: (402) 975-6169





CATERPILLAR®

3406E/C-Series Valve Guides

New oversized valve guides are now available as an option for Caterpillar® 3406E / C15 / C16 / C18 / C27 / C32 engine applications. These guides come in multiple sizes to restore proper press fit in worn cylinder heads and are precision-machined for correct valve alignment. Along with proper maintenance, these guides are designed to support long service life and consistent valve-to-seat contact to keep your engine operating smoothly and efficiently.



M-1228612



M-1220447

Part Number	Description	Application	Notes
M-1228612	Valve Guide	3406E / C15 / C16 / C18 / C27 / C32	Oversized .013 mm
M-1220447	Valve Guide	3406E / C15 / C16 / C18 / C27 / C32	Oversized .051 mm

CATERPILLAR®

C9 Remanufactured Injector



Interstate-McBee's renowned line of remanufactured fuel injectors continues to grow with a new addition for popular C9 applications. This item is engineered to specific standards called for by the application and fully backed by our product warranty. All our remanufactured injectors go through a comprehensive process from tear-down to reassembly and testing at our dedicated ISO certified facility in Cleveland, Ohio, USA.

Part Number	Description	Application
R-20R8065	Reman Injector	C9

CATERPILLAR®

C32 Gasket Sets

New gasket sets are now available for Caterpillar® C32 marine engines. These kits provide comprehensive coverage for servicing the C32 platform, whether performing a full overhaul or targeted repair. The Caterpillar® C32 is widely used in marine propulsion, auxiliary, and generator applications.

Part Number	Description	Application	Serial Number
MCBC32181	Major Overhaul Gasket Set	C32 Marine	RNF
MCBC32182	In-Chassis Gasket Set		RNE RNX
MCBC32183	Cylinder Head Gasket Set		RND RNR RNY RNZ



©All manufacturer's names are registered trademarks of that respective corporation or entity and do not imply that the item/s are a product of said manufacturer.

WORLD HEADQUARTERS

7440 Oak Leaf Rd
Oakwood Village, OH 44146

P: (216) 881-0015
F: (216) 881-0805

FLORIDA

9955 NW 58th St
Doral, FL 33178

P: (305) 863-6650
F: (305) 863-6272

CALIFORNIA

13137 Arctic Cir
Santa Fe Springs, CA 90670

P: (562) 356-5414
F: (562) 926-2452

TEXAS

22755 NW Lake Dr, Bldg #3
Houston, TX 77095

P: (281) 645-7168
F: (281) 443-0202

NEBRASKA

6200 Arbor Rd
Lincoln, NE 68517

P: (402) 417-1059
F: (402) 975-6169

